



#932 & #936

Direct Vent Gas Fireplaces



#932 shown standard
w/optional black grills

Warmth, coziness, style and quality. . .

From our family to yours.

Designer Options & Accessories

Doors



Arched Mission design
onyx door



Rectangular Mission design
brushed nickel door



Arched Renaissance pattern
antique copper door




Rectangular Renaissance
pattern brushed nickel door


The above decorative full doors (#936 only) are available as an option with matching plated face (special order)



Black onyx Mission design



Brushed nickel diamond pattern




Antique copper oval pattern

The above three doors are available in all finishes, only black contains screen



Black Prairie screen door



Black screen door



Moose pattern




Deer w/broken tree pattern


Grill Sets




Brass grills




Brass accent grills




Brushed nickel grills



Brushed nickel
accent grills




Mission design grills
(#936 only)



Prairie design grills

Black, chrome and chrome accent grills not shown


Trims



Arched valance brass trim



Arched valance chrome trim



Rectangular valance
(#936 only)



Valance screen

Controls



Wall mount thermostat




Wireless wall mount
thermostat



Remote control

Refractories



Standard brick refractory



Rock refractory
(#936 only)

It's just not 'home' without a fireplace. . .

Think your room is too small for a fireplace? Think again. Kozy Heat's model 932 direct vent is a compact gas fireplace made to fit in your den, office, bedroom, even the bathroom! If you have a little more space, consider model 936 direct vent. Regardless of the size you choose, you'll get a clean, efficient, troublefree, gas fireplace with all the ambiance of a real wood-burning fire.

With a variety of styles, accessories, and options, there's a Kozy Heat fireplace that's right for you.

Kozy Heat... Quality Fireplaces for Life.



#936 shown with optional brass accent grills.

#932 DV and #936 DV

Quality Fireplaces for Life

Model	Fuel Option	High	Low	*Efficiency
#932	NG	26,000	17,500	81%
#932-1	LP	26,000	19,000	80%
#936	NG	36,000	23,000	81%
#936-1	LP	35,000	23,000	80%

* Steady state efficiency at high burn.

Zone Heat

Install a Kozy Heat furnace rated, high efficient fireplace and save money - lower your fuel bill when you turn your furnace down and heat only the room(s) where you'll be spending time in.

Standard Features

- High quality borofloat glass (12" x 27" - #932) (17" x 30" - #936)
- Quick-latch glass with standard arched valance
- Seasonal heat-dump baffle
- Refractory firebrick panels (back and sides)
- High-low regulator
- Zero clearance
- Patented burner and log design
- Tested to 50 pascals of negative pressure which passes the Minnesota Energy Code for Residential Ventilation

Optional Features

- Dura-Vent™ adapter ring for DV-GS pipe (for vertical terminations)
- Upper and lower grill sets (several styles/finishes available)
- Arched valance brass or chrome glass trim
- Black, brass, and/or chrome "T" trim (#936 only)
- Decorative screen doors (several styles/finishes available)
- Rectangular valance - replaces the arched valance (#936 only)
- Valance Screen
- Automatic fan kit with variable speed control (2 - 75 CFM - #932) (2 - 110 CFM - #936)
- Remote control or thermostat remote control
- Wall mount thermostat / wireless wall mount thermostat
- Decorative (beveled) oval design or paneled design glass (#936 only)
- Interior or exterior black trim (for finishing around edges)
- Rock refractory (#936 only)
- Wall, corner cabinet & flush surround - refer to the Cabinetry brochure

Safety

- Each unit factory tested!
- Tested by Intertek Testing Services (formerly Warnock Hersey) complies with ANSI Z21.88 - 2002 • CSA 2.33 - M02 'Vented Gas Fireplace Heater'
- Sealed combustion chamber
- Removable millivolt board with 30-second delay pilot
- Requires **no electricity** to operate - excluding fan
- Automatic pressure relief glass system
- Bedroom and mobile home approved

Clearances

- From unit sides/back/top stand-offs - 0"
- To flooring - 0"
- From flue vent - 1"
- From unit glass to an adjacent sidewall - 8"
- From upper grill outlet to mantel - refer to installation manual

Framing Dimensions (#932)

- Height - 25 1/4"
- Width - 32 1/2"
- Depth - 18 1/2"
- Platform - 32" W x 18 1/4" D
- Firestop Framing - 9 1/2" x 9 1/2"

Framing Dimensions (#936)

- Height - 32 1/4"
- Width - 36 1/2"
- Depth - 18 1/2"
- Platform - 36" W x 18 1/4" D
- Firestop Framing - 9 1/2" x 9 1/2"

Venting System Requirements

- #745 Direct vent kit - 4' termination
- #718 Direct vent kit - 8' termination 4" exhaust, 7" intake co-axial
- #746 Direct vent extension kit - 6' additional pipe to extend the #745 or #718 vent kits


Horizontal Terminations

- Minimum vertical rise - 18" (determined by horizontal run)
- Minimum horizontal run - 6"
- Maximum horizontal run - 20"
- Elbows - (1) 90° (or equivalent thereof) *1/4" incline per horizontal foot must be maintained


Vertical Terminations

- Minimum vertical rise - 18" (determined by horizontal run)
- Maximum vertical run from top of unit - 32'
- Dura-Vent™ DV-GS pipe termination - 4" x 6 5/8" (vertical only)
- Adapter #923-C must be used with Dura Vent GS pipe™
- Elbows - maximum - (2) 45°



Note: Refer to the #932 DV and #936 DV installation manual for complete installation and venting requirements



#932 DV Model
Weight - 145 lbs.



#936 DV Model
Weight - 165 lbs.



Manufactured by Hussong Mfg. Co. Inc.
204 Industrial Park Drive, Lakefield, MN 56150
Phone 1-800-253-4904 www.kozyheat.com

For complete information and installation instructions, contact your Kozy Heat Dealer at:

In order to continually provide the highest quality product available, specifications and dimensions are subject to change. Refer to the unit installation manual for complete installation instructions. Installation must conform with local building codes.