



Shown standard - Aspen style flat wall cabinet


Warmth, coziness, style and quality. . .
From our family to yours.

Designer Options & Accessories


Doors



Black onyx Mission design



Brushed nickel diamond pattern




Antique copper oval pattern

The above three doors are available in all finishes, only black contains screen



Black Prairie screen door



Black screen door



Moose pattern




Deer w/broken tree pattern

Grill Sets



Brass grills



Brass accent grills



Brushed nickel grills




Brushed nickel accent grills



Black grills

Chrome and chrome accent grills not shown


Trims



Arched valance brass trim
(Set of 3)



Arched valance chrome trim
(Set of 3)



Rectangular valance
(Front only)



Valance screen
(Set of 2 sides or set of 3)

Controls



Wall mount thermostat



Wireless wall mount thermostat



Remote control

Refractories



Brick refractory



Rock refractory



*Shown w/black onyx
Mission design doors in a
Meridian style corner cabinet*



*Shown Diamond Pattern
screen doors in black*

Add some heat to the night. . .

Consider all the angles. From anywhere in the room, the view is magnificent! The only true bay window in the industry, Kozy Heat's model 961 provides a dramatic focal point for any décor. Install this fireplace in a corner or against a wall, no matter where you put it, you'll have a dazzling three-way view of Kozy Heat's realistic "dancing flames". So add some heat to any cold night with this bay window gas fireplace.

Kozy Heat... Quality Fireplaces for Life.

#961 Bay Window

Quality Fireplaces for Life

Model	Fuel Option	High	Low	Efficiency*
961	NG	38,000	28,000	82%
	LP	38,000	28,000	81%

* Steady state efficiency at high burn.

Zone Heat

Install a Kozy Heat furnace rated, high efficient fireplace and save money - lower your fuel bill when you turn your furnace down and heat only the room(s) where you'll be spending time in.

Standard Features

- High quality borofloat glass (17" x 30" - front, 17" x 11" - sides)
- Quick-latch glass with standard arched valance
- Seasonal heat-dump baffle
- Refractory firebrick panels (back, sides and bottom)
- High-low regulator
- Zero clearance
- Patented burner and log design
- Exterior trim (2 sets - 90° for corner installations and 45° for flat wall installations)
- Tested to 50 pascal of negative pressure which passes the Minnesota Energy Code for Residential Ventilation

Optional Features

- Dura-Vent™ adaptor ring for GS pipe (for vertical terminations)
- Decorative grills (several styles/finishes available)
- Arched valance brass or chrome glass trim (set of 3)
- Decorative screen doors (several styles/finishes available)
- Rectangular valance (replaces arched valance)
- Valance screen
- Automatic fan kit with variable speed control (2 - 110 CFM)
- Remote control or thermostat remote control
- Wall mount thermostat / wireless wall mount thermostat
- Brick lintel iron (up to 8' ceiling)
- Rock refractory
- Flat wall or corner cabinet (refer to the cabinetry brochure)




Safety

- Each unit factory tested!
- Tested by OMNI - test laboratories
Complies with ANSI Z21.88-2002 • CSA 2.33-M02 'Vented Gas Fireplace Heater'
- Sealed combustion chamber
- Removable millivolt board with 30-second delay
- Safety pilot with piezo standing pilot ignition
- Requires **NO ELECTRICITY** to operate - excluding fan
- Automatic pressure relief glass system
- Bedroom and mobile home approved

Clearances

- From unit sides/back/top stand-offs - 0"
- From unit to flooring - 0"
- From flue vent - 1"
- From side glass to adjacent sidewall - 3"
- Bay-front to adjacent sidewall - 12"
- Top of upper grill opening to mantel - Refer to the installation manual

Note: Refer to the #961 DV installation manual for complete installation and venting requirements



For complete information and installation instructions, contact your Kozy Heat Dealer at:

Manufactured by Hussong Mfg. Co. Inc.
204 Industrial Park Drive, Lakefield, MN 56150
Phone 1-800-253-4904 www.kozyheat.com

In order to continually provide the highest quality product available, specifications and dimensions are subject to change. Refer to the unit installation manual for complete installation instructions. Installation must conform with local building codes.