QUALITY FIREPLACES FOR LIFE.

KOZY HEAT FIREPLACES

Chaska 34 Log shown with a Rectangle screen front with an Antique Copper overlay, log set, custom 4-sided shroud and ember light kit

# CHASKA 34, CHASKA 335S, CHASKA 29, CHASKA 25

GAS INSERTS

Chaska 34 Rock shown with a Beveled screen front, rock media, custom 4-sided shroud and ember light kit

Chaska 34 Glass shown with a a Rectangle screen front in Brushed Stainless, Glaicer Crystal glass, Black Enamel, Beach Accent Kit and a custom 4-sided shroud

## THE CHASKA 34

Transform that cold, drafty fireplace with a clean efficient **Chaska 34** gas insert from Kozy Heat. The **Chaska** gas inserts are completely air tight and are the perfect solution to your existing wood fireplace. The **Chaska** gas inserts offer a large viewing area with our most realistic flame and log pattern yet. With three versions to choose from, the **Chaska 34** insert is available with a traditional log set, contemporary looking rock, or glass media models. The standard light kit (log and rock model) and standard accent lighting on the glass bead model will not only let you operate the fireplace without heat, but add that extra touch of realism that will soon make you forget that you are not burning wood anymore!

Chaska 34 Log shown with an Arched Prairie screen front, ember light kit and optional custom 4-sided Arched Shroud

Chaska 29-MV shown with an Arched screen front and optional Arched Shroud

Chaska 335S shown with
a Prairie screen front

# THE CHASKA 335S MILLIVOLT & CHASKA 29 MILLIVOLT

Chaska 335S shown with a Rectangle screen front in Brushed Stainless

Chaska 29 Rock shown with an Arched Mission screen front in Vintage Bronze, rock media and ember light kit

Chaska 29 Log shown with a Prairie screen front, ember light kit and optional Arched Shroud

Chaska 29 Glass shown with a Rectangle screen front with Amber Crystal glass, Black enamel and a Beach Accent Kit

## THE CHASKA 29

Chaska 25 shown with an Arched Prairie Full Door screen front

Chaska 25 shown with a Convex screen front

## THE CHASKA 25

Tired of coming home to the inconvenience of a wood burning fireplace? Let the Kozy Heat **Chaska 25** gas insert solve your problems. The **Chaska 25** is a perfect fit, for both your space and your lifestyle. With the traditional look and the ease of a gas fireplace, it will bring you the best of both worlds. The **Chaska 25** gas insert is completely airtight and is the perfect solution to your inefficient wood fireplace. Why not have the reliability that you depend on and the look you love, all in one?

Chaska 25 shown with a Rectangle screen front

# FIREPLACE OPTIONS

## Fronts

Sizes shown below: Chaska 34 & 335S / Chaska 29 / Chaska 25

35-1/4" / 31-3/4" / 27-1/4"

24" /
20-3/16" /
18-1/2"

Rectangle screen front

35-1/4" / 31-3/4" / 27-1/4"

24" /
20-3/16" /
18-1/2"

Brushed Stainless Rectangle screen front

35-1/4" / 31-3/4"

24" /
20-3/16"

Rectangle Screen front with Brushed Nickel Overlay
*(Not available for Chaska 25)*

39-15/16" / 36-1/4" / 31-7/8"

24-15/16" /
21-1/4" /
19-1/2"

Convex screen front
*Black & Brushed Stainless Only*

35-1/4" / 31-3/4" / 27-1/4"

24" /
20-3/16" /
18-1/2"

Prairie screen front

35-1/4" / 31-9/16" / 27-1/4"

27-1/8" /
22-3/4" /
20-3/8"

24" /
20-3/16" /
18-1/2"

Arched Prairie Full Door screen front
*Black Only*

35-1/4" / 31-9/16" / 27-1/4"

24" /
20-3/16" /
18-1/2"

Arched Mission screen front - Vintage Bronze

35-1/4" / 31-9/16" / 27-1/4"

24" /
20-3/16" /
18-1/2"

Arched Mission screen front - Weathered Charcoal

35-1/4” / 31-3/4”

24” /
20-3/16”

Rectangle Screen Front with Antique Copper Overlay
*(Not available for Chaska 25)*

37-3/16” / 33-11/16” / 29-3/16”

24-7/8” /
21-1/16” /
19-1/2”

Beveled screen front
*Black Only*

35-1/4” / 31-3/4” / 27-1/4”

27-1/8” /
22-3/4” /
20-3/8”

24” /
20-1/4” /
18-1/2”

Arched Prairie screen front

35-1/4” / 31-3/4” / 27-1/4”

27-1/8” /
22-3/4” /
20-3/8”

24” /
20-1/4” /
18-1/2”

Arched screen front

## Refractory Options

Traditional Brick

Black enamel

*Standard Black firebox*

## Finish Options

Black

Brushed Stainless

Antique Copper

Brushed Nickel

### Decorative Finishes

Titanium
*Prairie fronts only, excluding Doors*

Rust
*Prairie fronts only, excluding Doors*

Vintage Bronze
*Mission fronts only*

Weathered Charcoal
*Mission fronts only*

## Chaska 34, Chaska 29 & Chaska 25 Control

KOMFORT KONTROL™

The Komfort Kontrol remote gives you the ability to bring comfort and green technology all together into your home. With the Komfort Kontrol remote, all you have to do is decide a comfortable set point temperature on your remote and when the room temperature gets closer to the point you desire, the Komfort Kontrol remote will turn the flames down accordingly! And with our zone heating, you can save energy and enjoy time in the room you use the most by just turning down the central heat, setting your Komfort Kontrol remote, and enjoy your time around the fireplace with friends, family, or just a good book! That way you'll get to have heat where and when you need it while saving energy and money with just a click of the Komfort Kontrol remote!

**Remote control features:**

- Thermostat function
- Flame height modulation
- Fan speed modulation
- Light kit modulation
- IPI to continuous pilot

## Chaska 29 Millivolt & Chaska 335S Optional Controls

Touch Screen Thermostat Remote Control

Deluxe On/Off Remote

Wired or Wireless Wall Mount Thermostat

Wireless wall switch

## Glass Media

For the Chaska 34 Glass and Chaska 29 Glass only

### Beads

Copper

Cobalt Blue

H2O

### Crystals

Glacier

Amber

Black

Seabreeze

## Optional Accent Media

For the Chaska 34 Glass and Chaska 29 Glass only

Diftwood/Rock

Beach Accent Kit

# BURNING FLAME

## Burn Videos

Chaska 34 Rock

Chaska 34 Crushed Glass with a Beach Accent Kit

Chaska 34 Log

Chaska 335S

Chaska 29 Rock

Chaska 29 Glass

Chaska 29 Log

Chaska 25

Chaska 34 Rock shown with an Arched Mission screen front in Weathered Charcoal, rock media and ember light kit

# SPECIFICATIONS

## Venting

A gas insert will help in eliminating the heat loss and cold down drafts that you have likely experienced from your existing fireplace and chimney. As the first company to introduce direct-vent technology to gas inserts, Kozy Heat inserts and fireplaces use 100% outside air for combustion. Our inserts and dual 3" aluminum flex venting structure create a sealed system and eliminates the potential of bringing smoke or fumes into the home. When compared to gas logs or "ventless" inserts, this is the safest and most efficient choice that you can make for your family.




## Existing Fireplace Requirements

**Each Unit Factory Tested**

### Chaska 34 & 335S

***Existing Fireplace Opening must be at least:***

- Height: 23-1/2"
- Width: 33-1/2"
- Back Width: 24-1/2"
- Depth: 16-3/8" (CSK-34)
- Depth: 16-1/2" (CSK-335S)

***Existing Chimney:***

Inside Diameter:

- Factory built solid fuel chimney: 7" min.
- Masonry chimney: 6" x 8" min.
- Minimum chimney height: 12'
- Maximum chimney height: 50'

### Chaska 29

***Existing Fireplace Opening must be at least:***

- Height: 19-1/4"
- Width: 29-1/2"
- Back Width: 18-7/8"
- Depth: 15"

***Existing Chimney:***

Inside Diameter:

- Factory built solid fuel chimney: 7" min.
- Masonry chimney: 6" x 8" min.
- Minimum chimney height: 10'
- Maximum chimney height: 50'

### Chaska 25

***Existing Fireplace Opening must be at least:***

- Height: 17-5/8"
- Front Width: 25-7/8"
- Back Width: 20-5/8"
- Depth: 15-1/4"

***Existing Chimney:***

Inside Diameter:

- Class 'A' metal: 7" I.D.
- Masonry Chimney: 6" x 8" I.D.
- Minimum chimney height: 10'
- Maximum chimney height: 35'

**Vertical Termination ONLY (Chaska 34 & Chaska 335s)**

**Minimum vent run:** 12'

**Maximum vent run:** 50'

**Vertical Termination ONLY (Chaska 25)**

**Minimum vent run:** 10'

**Maximum vent run** 35'

**Vent System Approval & Requirements**

These models are approved for use with the following Vent Systems rigid and flexible pipe::

- Kozy Heat™ - #816 venting
- Simpson Dura-Vent™
- Selkirk Metalbestos™
- Ameri-Vent™
- ICC™

## Shroud Dimensions

*Shroud is Required for Installation

**Chaska 34 & 335S**

27" x 40"
30" x 44"
33" x 46"
34" x 44" Arched
*Custom sizes available where applicable

**Chaska 29**

25" x 38"
27-1/2" x 42"
30" x 44"
28" x 38 Arched
*Custom sizes available where applicable

**Chaska 25**

22-1/2" x 36"
25" x 38"
30" x 44"
*Custom sizes available where applicable

# SPECIFICATIONS

*The Chaska 34 (CSK 34-L, CSK 34-G & CSK 34-R), Chaska 29 (CSK 29-L, CSK 29-G & CSK 29-R) and Chaska 25 come standard with an Electronic Ignition Pilot System. The included Komfort Kontrol remote will adjust the flame and fan spead. The Chaska 335S model comes standard with a millivolt operating system, refractory brick lining & fan kit. The Chaska 29 model offers an optional millivolt operating system, refractory brick lining & fan kit.*

| Model | Chaska 34 IPI | Chaska 335S | Chaska 29 Log & Rock | Chaska 29 Glass | Chaska 29 MV | Chaska 25 |
|---|---|---|---|---|---|---|
| **Height** | 23" | 23" | 19-1/4" | 19-1/4" | 19-1/4" | 17-1/2" |
| **Width** | 33-3/8" | 33-3/8" | 29" | 29" | 29" | 25-3/8" |
| **Back Width** | 24-3/8" | 24-3/8" | 18-7/8" | 18-7/8" | 18-7/8" | 20-3/8" |
| **Depth** | 16" | 16" | 14-1/2" | 14-1/2" | 14-1/2" | 15" |
| **Weight** | 150 lbs. | 150 lbs. | 140 lbs | 140 lbs | 140 lbs | 140 lbs |
| **Viewing Area** | 30-1/8" X 17-13/16" | 29-5/8" X 15-13/16" | 26-1/8" X 12-7/8" | 26-1/8" X 12-7/8" | 26-1/8" X 12-7/8" | 22-1/8" X 12-5/16" |
| **BTU NG High / Low** | 34,000 / 18,500 | 36,000 / 22,000 | 30,500 / 16,000 | 25,500 / 14,000 | 28,500 / 18,500 | 26,000 / 13,500 |
| **BTU LP High / Low** | 34,000 / 18,500 | 36,500 / 22,000 | 30,000 / 16,000 | 25,500 / 13,500 | 29,000 / 22,000 | 25,500 / 13,000 |
| **Efficiencies NG / LP** | 77% / 77% | 80% / 75% | 74% / 74% | 66.62% / 66.09% | 74% / 74% | 78% / 78% |
| **ENERGUIDE P.4** | NG 74.8% / LP 75.4% | NG 65.3% / LP 66.15% | 73% | NG 61.11% / LP 62.87% | 73% | NG 77.58% / LP 78.17% |
| **Valve System** | IPI - Standard on all Verisons | Millivolt | IPI - Standard on all Verisons | IPI - Standard on all Verisons | Millivolt | IPI |
| **Standard Refractory** | Brick **(CSK 34-L)** | Brick | Brick **(CSK 29-L)** | Black Enamel | Brick | Brick |
| **Standard Black Enamel Refractory** | **(CSK 34-R)** Back curved black panel **(CSK 34-G)** Optional **(CSK 34-L)** | N/A | **(CSK 29-R)** Optional **(CSK 29-L)** | Standard | N/A | N/A |
| **Ember Light Kit** | Standard **(CSK 34-L, CSK 34-R)** | N/A | Standard | N/A | N/A | N/A |
| **Accent Light Kit** | Standard **(CSK 34-G)** | N/A | N/A | Standard | N/A | N/A |
| **Glass Media** | Required **(CSK 34-G)** | N/A | N/A | Required | N/A | N/A |
| **Fan Kit Availability** | Standard for All Versions | Standard | Standard for All Versions | Standard | Standard | Standard |
| **Screen Front** | Required | Required | Required | Required | Required | Required |

*Features, Options & Specifications are subject to change.*

## Clearances

| Model | Chaska 34 | Chaska 335S | Chaska 29 Log & Rock | Chaska 29 Glass | Chaska 29 MV | Chaska 25 |
|---|---|---|---|---|---|---|
| From insert to combustible floor in front | Refer to chart in manual | Refer to chart in manual | Refer to chart in manual | Refer to chart in manual | Refer to chart in manual | Refer to chart in manual |
| From insert to side wall | 6" | 12" | 6" | 6" | 6" | 3" |
| Mantel 9" deep from top of insert* | 16" | 16" | 16" | 16" | 16" | 9" |

Refer to the installation manuals for complete installation & venting requirements. See additional mantel clearance configurations in the installation manual.

Note: Over time, antique copper will react with oxygen, heat, and other aspects of the environment and naturally change color, or patina.

**Each unit factory tested**

Certified to ANSI Z21.88 Vented Gas Heater

# SPECIFICATIONS

## Chaska 25




## Chaska 29




## Chaska 335S




## Chaska 34




In order to continually provide the highest quality product available, features/options, specifications & dimensions are subject to change. Refer to the unit installation manual for complete installation instructions. Installation must conform with local building codes. **In some regions it may be possible that this appliance qualifies for an energy rebate. See your local dealer for details regarding promotions and qualifications.**


Manufactured by Hussong Mfg. Co., Inc.
204 Industrial Park Drive, Lakefield, MN 56150
Phone 1-800-253-4904 www.kozyheat.com


3-18

Product Line:

**For complete information on the Kozy Heat product line, please contact us at:**